

Civic Centre, 1061 Haupapa Street, Private Bag 3029, Rotorua Mail Centre, Rotorua 3046

P: +64 7 348 4199 | **F:** +64 7 346 3143 | **E:** info@rotorualc.nz | **W:** rotorualakescouncil.nz

Rotorua Lakes Council is the operating name of Rotorua District Council

Application Received Date:	21 April 2026
Payment Received Date:	21 April 2026
LIM Issued Date:	01 May 2026
Receipt Number:	DWB10001974

Application

Application number:	LIM26-013429
Applicant:	Tremains Rotorua
Address for service:	1127 Fenton Street Rotorua 3010

Property

Situation address:	4064 State Highway 5 Mihi Rotorua 3072
Legal description:	Lot 1 DPS 10375 Blk XIV Paeroa Sd
Area:	0.606000 HA
Valuation:	07030 187 03
Property no:	128603
Record of title reference:	SA7B/474

This LIM comprises of the following sections:

- Natural Hazards – information about natural hazards or potential natural hazards affecting the land, including any information provided by the regional council
- Building Services – Consents, permits and matters relating to the Building Act
- Planning - District Plan and planning matters
- Rates – Valuation and Rating information
- Parks and Reserves – Information relating to Parks and Reserves
- Regulatory – Food and Liquor Licences, Environmental Health and other regulatory matters
- Land Development – Drainage, Water Supply and Land development information
- Trade Waste Services- Information relating to Trade Waste Services

The following documents are provided with the LIM:

- Title Plan
- Map Set 1 – Locality and Services Plans
- Map Set 2 - Potential Hazard/Risks
- Other maps relating to Natural Hazards provided by the Bay of Plenty or Waikato Regional Council

All other documents that the LIM refers to are held on the property file which will be made available to the applicant to view or download if required.

Disclaimer

Sources of Information

The information contained in this LIM has been taken from Rotorua Lakes Council records as they stand, and from information supplied to Rotorua Lakes Council by the [Bay of Plenty Regional Council or Waikato Regional Council as the case may be] pursuant to section 44C of the Local Government Official Information and Meetings Act 1987. This LIM can only supply information known to Rotorua Lakes Council.

There may be other issues relating to the property which the applicant may need to investigate e.g. information on Property Titles.

An on-site inspection has not been undertaken for the purposes of this Land Information Memorandum Report.

This LIM was produced using both automatic and manual processing. Some of the automatic processing includes spatial checks for relative locations of features.

Spatial Data and Aerial Imagery

Please also refer to the disclaimers for Spatial Data Sets and Aerial Imagery appended to the map sets provided with this report

NATURAL HAZARDS



Notes:

Further information on natural hazards at a site-specific level may also be found in building consent and resource consent applications [*None on file for subject property*].

For properties in the Waikato Region;

The Waikato Regional Council has referred LIM applicants to their online hazards portal, which may potentially have further information:

<https://waikatoregion.govt.nz/services/regional-hazards-and-emergency-management/regional-hazards-portal/>

<https://waikatoregion.govt.nz/services/regional-hazards-and-emergency-management/regional-hazards-portal/waikato-regional-hazards-portal-supporting-information/#e22668>

They also refer LIM applicants to this table of technical reports relevant to the Rotorua District.

rlc.net.nz/WRCHazardsReportLIM

FLOODING

Is there any information known to Council in relation to potential flooding / inundation? **Unknown**

Earth Sciences NZ (ESNZ, previously NIWA) released a national flood model viewer, the result of a research grant to identify flood hazards across the country. The viewer suggests flood depths magnitudes for various climate scenarios in identified 'flood plains'. It is intended as a bird's eye view to help identify areas at risk and is not intended for hazard and risk analysis at a property level. Further information about this research and an online map viewer for the results are available at this link:

<https://niwa.co.nz/hazards/ma-te-haumaru-o-nga-puna-wai-o-rakaihautu-ka-ora-mo-ake-tonu>

LAND STABILITY

LANDSLIDE

Is there any information known regarding potential landslide susceptibility? **Yes**

BAY OF PLENTY REGIONAL COUNCIL - Landslide Susceptibility 2024 Study

Bay of Plenty Regional Council commissioned a regional study of landslide susceptibility, which was intended to support implementation of the Regional Policy Statement by identifying areas potentially susceptible to this hazard. The following report is available at this rlc.net.nz/NaturalHazardsLIM

- WSP (2024). Bay of Plenty Regional Landslide Susceptibility Study, Report for Bay of Plenty Regional Council.

The study delineates land into categories of relative susceptibility based on desktop information. It is produced at a regional, rather than property level. The study focuses only on the area where landslides are sourced and not the areas affected by the potential runout of debris from a landslide or later regression of a slope.

Map Set 2 maps the resulting susceptibility categories for rainfall and earthquake triggered landslides. Refer to the report above for explanation of the relative susceptibility categories.

For questions about this study please contact the Bay of Plenty Regional Council.

LIQUEFACTION

Is there any information known to Council in relation to potential liquefaction? **Yes**

BAY OF PLENTY REGIONAL COUNCIL – Liquefaction Information

The Bay of Plenty Regional Council commissioned a regional study of liquefaction susceptibility, which was intended to support a risk-based approach to manage liquefaction related risk in land use planning and development decision-making. The following report is available at rlc.net.nz/NaturalHazardsLIM

- Tonkin + Taylor Ltd (2021) Bay of Plenty Liquefaction Vulnerability Assessment

The report was prepared in accordance with the guidance by the Ministry for the Environment (MfE) and Ministry of Business, Innovation and Employment (MBIE) “Planning and Engineering Guidance for Potentially Liquefaction Prone Land” (2017) to a Level A (basic desktop) level of detail at a regional scale.

Map Set 2 provides the results. Refer to the above report for further information on the liquefaction susceptibility categories shown in the map.

For questions about this study please contact the Bay of Plenty Regional Council.

SOFT SOILS

Is there any information known to Council regarding soft soils/ground conditions? **No**

OTHER INFORMATION RELATING TO LAND STABILITY

Is there any other information known to Council relating to ground stability due to any other Natural Hazard? **No**

FAULT RUPTURE

Is there any information known to Council in relation to Fault Line Impact? **No**

GEOHERMAL HAZARDS

Is there any information known to Council regarding geothermal natural features on site? **No**

Does the Bay of Plenty Regional Council’s geothermal surface feature database identify a geothermal surface feature on the property? **No**

VOLCANIC HAZARDS

The following report was commissioned by Rotorua Lakes Council to summarise existing information about volcanic hazards affecting land in the Rotorua District rlc.net.nz/GNSReport

- GNS (2010) Rotorua District Council Hazard Studies, Part 1 Volcano and Geothermal Hazards, GNS Science Consultancy Report 2010/67

The report explains that, of the four major caldera volcanoes within the district, only the Ōkātina Volcanic Centre (OVC) has erupted in the last approximately 22,000 (eleven major eruption episodes, with a wide range of magnitudes, have been identified in this approximate period from the OVC). Future eruptions from local volcanoes (most likely the OVC) could produce ash fall, fast-moving hot flows, lava, mudflows, volcanic gases, and earthquakes. The type and severity of volcanic effects will depend on the size of the eruption and how close the location is to the eruption site. Ash fall is the most likely hazard to affect a wide area.

Periods of volcanic unrest in the OVC, such as small earthquakes, ground movement, or changes in geothermal activity, are expected to occur fairly often without leading to eruptions.

Rotorua can also be affected by ash fall from more distant volcanoes of Tongariro, Taranaki, and Mayor Island. These events are more likely to produce light ash deposits over the district. Activity at the Taupō caldera could have a more significant impact but is far less frequent than ash fall from these other sources.

NATURAL HAZARD INFORMATION IDENTIFIED ON THE DISTRICT PLAN

Is there any information show on the District Plan in relation to other features? No

NATURAL HAZARD INFORMATION RELATING TO NOTICES UNDER THE BUILDING ACT OR PRIOR LEGISLATION

Are there any of the following notices issued and registered against the Title? No

[Have any:

- building consents been issued with a notice under section 73 (or under section 36(2) of the former Building Act 1991 or 541A of the Local Government 1974))
- Signs or notices under section 133BT of the Building Act been placed on or near a building that restrict entry or occupancy – note also any subsequent decision to remove the sign or notice]

BUILDING



Building Services

Building Consents/Certificates

Application Id	Determined Date	Description of work	Stage
BCC030974	21/05/1985	Canopy For Fuel Pumps	Unknown Pre 1991 Permits
BCC029063	24/12/1984	LPG Installation	Unknown Pre 1991 Permits
BCA70208	13/12/1982	Office Building	Unknown Pre 1991 Permits
BC990763	13/05/1999	New Jayline Heater	CCC Issued
BC9113	12/12/1966	Workshop	Unknown Pre 1991 Permits
BC8964	03/08/1966	Dwelling Relocation And Improvements	Unknown Pre 1991 Permits

KEY to terms used regarding status of Building Consent/Permit:

CCC Issued	Building work completed and "Code Compliance Certificate" has been issued.
Unknown/Pre 1991 Permits	Council has no records of inspections. Please refer to the building permit inspection card, if any, for final status.

Approved exempt building work (1st Schedule NZBA 2004)

Have there been any records of exempt building work? **No**

Independent reports

Are there any independent reports on file? **No**

Building Act requisitions or Modifications to Building Consent

Are there any Building Act requisitions or modifications to Building Consent? **No**

Restricted building work

Is there an owner builder exemption for restricted building work? **No**

Compliance Schedules and Building Warrant of Fitness

Has there been a Compliance Schedule issued for any buildings on the property? **No**

Determinations issued by the Ministry of Business, Innovation and Employment (MBIE)

Have there been any Determinations issued by the MBIE? **No**

Weathertight Homes Resolution Service Act 2006

Are there any known issues regarding weather tightness? **No**

Notice to Fix

Are there any outstanding Notices to Fix? **No**

Unresolved Complaints

Are there any unresolved complaints? **No**

Earthquake prone buildings (EPB)

Buildings constructed post 1976 are not considered under criteria set out in under the earthquake prone building methodology as required by section 133 (AG) and or 133(AA) of the Building Act 2004.

Earthquake risk assessments only apply to residential buildings constructed pre-1976 that consist of two or more storeys and either is a hostel, boarding house or other specialist accommodation or contains 3 or more household units.

Independent advice should always be sought in relation to a buildings structural performance.

Has Council notified the owner of the need for a seismic assessment

Yes

This building was previously identified under Council's earthquake prone building policy as potentially earthquake prone. The earthquake prone building policy has now been superseded by the Building (Earthquake-prone Building) Amendment Act 2016 which came into effect on 1 July 2017.

As a result of this change the buildings previously assessed as potentially earthquake prone buildings on this site fall outside the risk profile prescribed in the earthquake prone building methodology and or section 133AA of the Building Act and therefore no further action is required.

This should not be seen as verification of the buildings structural performance and does not absolve the owner for responsibilities under the Building Act if there was to be a change of use or if it becomes known that the building is earthquake prone in the future.

Has a seismic assessment been received for a building on this property?

No

Is there a current earthquake prone building notice for a building on the site?

No

For more information on managing earthquake-prone buildings (EPB) please refer to:

<https://www.building.govt.nz/managing-buildings/managing-earthquake-prone-buildings/>

and for the earthquake methodology:

<https://www.building.govt.nz/assets/Uploads/building-code-compliance/b-stability/b1-structure/epb-methodology.pdf>

Pools (Building Act 2004)

Is there a pool known to Council on the property?

No

Obligations of owner and persons in control of pools

All pools are required to be registered with Rotorua Lakes Council.

Any residential pool that is filled or partly filled with water must have physical barriers that restrict access to the pool by unsupervised children under 5 years of age. This responsibility lies with the property owner and/or persons in control of the pool as listed in section 162C of the Building Act 2004.

For more information on pool compliance, read sections 162A – 168 of the Building Act 2004:

<http://legislation.govt.nz/act/public/2004/0072/latest/DLM7083799.html>

Alternatively, contact the Rotorua Lakes Council customer services team ☎ 07 348 4199.

A pool inspection can also be scheduled if required.

Is there any other information regarding a pool on this property?

No

Other comments

PLANNING

Planning Services



Land Features Characteristics:

Is there any information known to Council with regard to any features?

No

(Other Land Feature information may be advised in the Natural Hazards section of this LIM)

Planning / Resource Management Act 1991

Resource Consents and Other Planning Consents

Are there resource consents lodged against this property?

Yes

Consent No	Date of Decision	Activity Type	Activity Description	Status
66-06-304	9 December 1982	Dispensation/Waiver	Extension of existing workshop	Granted See document ID: 486603
66-02-778	26 November 1984	Land Use Resource Consent	Install & operate a 12 tonne LPG tank and dispenser	Granted See document ID: 486602

Please be advised that the above table lists Rotorua District Council resource and planning consents. It does not list any Regional Council resource consents. You will need to contact Waikato Regional Council for any regional council consents for this property.

Planning Compliance

Are there any outstanding planning compliance issues relating to this property?

No

Consent Notices or Covenants

Are there any consent notices or covenants lodged against this property?

No

Rotorua District Plan

Before undertaking any activity on the land you are advised to look at the relevant provisions of the District Plan. The District Plan is available on Council's website: rlc.net.nz/DistrictPlan

Should you be unsure about any aspect you may wish to gain further information from our Planning Services Staff by phoning ☎ (07) 348 4199 for an appointment with the Duty Planner. You can also email enquiries to dutyplanner@rotorualc.nz or alternatively you may also wish to seek independent professional advice.

District Plan Changes

There are a number of plan changes proposed to the Rotorua District Plan. Information on all plan changes can be found here: rlc.net.nz/PlanChanges

District Plan Zoning

In the Operative District Plan, the land is zoned Rural 1 Zone, Working Rural as shown on Planning Map Sheets 545. To view these maps visit our website:

<https://www.rotorualakescouncil.nz/our-services/planningservices/districtplan/district-plan-maps>

Adjoining Land

Are there any land use or subdivision consent applications on any of the properties that share a common boundary with the subject site?

No

Central Business District

Is the property located within the Central Business District?

No

Designations

Is the land designated? No

Is the airspace above the land designated? No

Is the land subject to special height restrictions? No

Does the land adjoin any designated land? Yes

The site adjoins a State Highway that is designated by the New Zealand Transport Agency. See Part 3, Designations of the Rotorua District Plan. For further information contact New Zealand Transport Agency.

Is the land potentially affected by other designations in the vicinity? No

Is the land potentially affected by a notice of requirement (proposed designation) in the vicinity? No

Scheduled Site

Is the land a scheduled site? No

Road Widening

Is the land affected by road widening proposals? No

Service Lanes

Is there a proposed service lane affecting the land? No

Natural and Cultural Heritage Inventory

Are there natural or cultural heritage features on the land identified in the District Plan? No

If you intend to carry out a specific development proposal, a site-specific investigation may be required to identify unrecorded archaeological sites, natural or cultural heritage features. Specific approval may be required under the Historic Places Act.

Rotorua Regional Airport

Is the land subject to the Rotorua Regional Airport Noise Control and Mitigation requirements? No

Hazardous Substances

Are there any resource consents for hazardous substances for this property? Yes

See Resource Consent RC66-02-778 to install & operate a 12 tonne LPG tank and dispenser, document ID: **486602**.

Are there any former dangerous goods licences for this property? Yes

See documents on the property file. Under former legislation (Dangerous Goods Act 1974) this property held a Dangerous Goods Licence. You are advised to contact Council's General Inspectors on (07) 3484 199 if you wish to discuss further.

HSNO regulations - Please be advised that Hazardous Substances and New Organisms Act 1996 (HSNO) now regulates the use and storage of hazardous substances. Further information about hazardous substances regulation and whether this site holds hazardous substances certificates is available from the Environmental Protection Agency (EPA) - contact details:

Phone: +64 4 916 2426

Fax: +64 4 914 0433

Email: hsinfo@epa.govt.nz

The following website information may also be of assistance:

<http://www.epa.govt.nz/hazardous-substances/Pages/default.aspx>

District Plan - In addition to HSNO regulations the Operative District Plan also controls the storage and use of hazardous substances under Part 2, Hazards and Risks, Chapter HAZS – Hazardous Substances . The substances outlined in any Dangerous Goods Licence may have existing use rights in terms of the Resource Management Act 1991. Please be advised that any change in quantities or types of substances or the resumption of storage and use of hazardous substances after a period of disuse may require a land use resource consent from Rotorua Lakes Council.

Is this property listed on the regional councils Hazardous Activities Industry List (HAIL)?

Unknown

Rotorua District Council has no record of the above so you are advised to contact the Waikato Regional Council to see if this property is listed on the regional councils Hazardous Activities Industry List (HAIL).

Is there anything known to Council identifying any likely presence of hazardous contamination?

Yes

There are multiple documents on the property file regarding the storage of hazardous substances. You are advised to satisfy yourself there is no hazardous contamination.

The following is some more information about HAIL activities and contaminated land, and what to look out for when buying or selling property: Ministry for the Environment: Is my land contaminated? <https://environment.govt.nz/publications/hazardous-activities-and-industries-list-guidance-identifying-hail-land/>

Classification of Land/Buildings by Other Statutory Organisations

Are there any classifications notified to this Council by other Statutory Organisations?

No

Although Council has disclosed above any information which has been notified to it by any statutory organisation having the power to classify land or buildings for any purpose, the applicant is advised that the information so notified may not be exhaustive. Other statutory organisations, principally but not exclusively Regional Councils, play a large regulatory role in regard to properties in the Rotorua District. To obtain further information, the applicant may wish to make enquiries of:

Waikato Regional Council
waikatoregion@govt.nz
(07) 859 0999

Rural Properties (only) within 20 metres of lakes, rivers and streams

Is the property within the Rural 1, 2 or 3 zones?

Yes

In the Rural 1, 2 and 3 zones no building, waste disposal facility or structures may be erected within 20 metres of any river or stream as identified on Planning Map 203 in the Operative District Plan;
or any lake with a surface area of 8 hectares, or within 5 metres of any esplanade reserve or strip; or within 25 metres of the Waikato River operating easement boundary.

For all other zones (excluding Lakes A) within 25 metres of Lakes, Rivers and Streams

No building, waste disposal facility or structures may be erected within 25 metres of any river or stream as identified on Planning Map 203 in the Operative District Plan;
or any lake with a surface area of 8 hectares, or within 5 metres of any esplanade reserve or strip.

Lakes and Foreshore Structures

Is there any information known to Council with regard to lakes/foreshore structures?

No

RATES



Valuation/Rates/Metered Water

Valuation roll number:	07030 187 03	Property Id:	128603
Situation Address:	4064 State Highway 5 Mihi Rotorua 3072		
Legal Description	Lot 1 DPS 10375 Blk XIV Paeroa Sd		
Current Rating Valuation	Land value:	Capital value:	
01 July 2023	\$215,000.00	\$510,000.00	
Prior rating valuation	Land value:	Capital value:	
01 September 2020	\$174,000.00	\$394,000.00	
Current Rating Information dated 30 April 2026			
Total Annual Rates for year ending 30 June 2026			\$4,400.02

Rates charges comprise of:

	Rate	Unit	Amount
General Rate Business Rural Industrial	0.00564908	510,000.00	\$2,881.03
General Rates - Uniform Annual General Charge	488.75	1.00	\$488.75
BED - Industrial - Uniform	217.7985	1.00	\$217.80
Business & Econ Dev - Indust - Variable	0.000944579	510,000.00	\$481.74
Rural Waste Collection Serviced	330.6992203	1.00	\$330.70
Total:			\$4,400.02

Rates (include any arrears) owing as at **30 April 2026**: \$196.01

Rates to clear 30 June 2026: \$196.01

All amounts shown are inclusive of GST.

Rates are charged in four instalments for the period commencing 1 July and ending 30 June each year

1 st Instalment 1 July – 30 September	Final Date for Payment 20 th August
2 nd Instalment 1 October – 31 December	Final Date for Payment 20 th November
3 rd Instalment 1 January – 31 March	Final Date for Payment 20 th February
4 th Instalment 1 April – 30 June	Final Date for Payment 20 th May

Metered Water Details:

This property has metered water from the Reporoa Rural Supply Domestic and is billed quarterly.

The current balance is \$1,009.70.

Meter ID	Meter Location
118	2.5m Lhb - Valley Transport, meter behind locked gate. Contact the Rates department for access information.

PARKS AND RESERVES



Sports and Recreation Reserves

Is there any information known to Rotorua Lakes Council in relation to adjacent reserves within 25 meters, their use and any proposed works?

No

Are there any Notable/Street Trees on the property or adjoining?

No

Is there any information known to Sports and Recreation in relation to the subject property?

No

REGULATORY



Geothermal Bores

Is there any information known to Council with regards to geothermal bore on site?

No

Council has disclosed above in this LIM the geothermal features and characteristics (if any) of the property known to it. However, **Waikato Regional Council** has a legal obligation to identify natural hazards on properties, including geothermal activity. Accordingly, enquiry should prudently be made of **Waikato Regional Council** in regard to same. Council accepts no responsibility for any damage or loss, incurred by any person arising from such geothermal activity.

Is there any information known to Council with regards to geothermal natural feature on site?

No

The Rotorua Air Quality Control Bylaw

Does the property fall within the Rotorua Airshed?

No

A full copy of the Bylaw is on Council's website <http://rlc.net.nz/Bylaws> or for more information contact Bay of Plenty Regional Council on ☎ 0800 468 792 or visit <http://boprc.govt.nz>

Bay of Plenty Regional Air Plan

and the Regional Air Plan contains more stringent rules than the Rotorua Air Quality Control Bylaw.

Refer:

<https://www.boprc.govt.nz/environment/air/rotorua-air-quality>

Alcohol & Food Licensing

Is there any information known to Liquor Licensing in relation to the subject property?

No

Is there any information known to Food Licensing in relation to the subject property?

No

Environmental Health

Is there any registrations/licenses known to Environmental Health in relation to the subject property?

No

Is there any information known to Environmental Health in relation to the subject property?

No

LAND DEVELOPMENT

Resource Engineering



Land Features Characteristics:

Is there any detail of filling on the land known to the Council?	No
Is there any information known to Council with regard to other features?	No
Are there any Geotechnical Reports on file for this property?	No

Private/Public Drains/Easements

Are there any private/public drains known to Council to cross this property?	No
Are there any easements known to Council on this property?	No
Are there any manholes known to Council on this property?	No

If you notice any manhole lids displaced or not fitting properly, please notify Council immediately.

Development Contributions

Are there any outstanding Development Contributions associated with any projects on this property?	No
--	----

Drinking Water Supply Services

Is the property served by a Rotorua Lakes Council Water Supply Utility?	Yes
---	-----

Property is connected by meter to the Reporoa supply

Property falls within the Reporoa water supply. The Reporoa Water Supply is designed to provide a set daily allocation of water on a steady flow basis over a 24-hour period. On-site water storage (water tank) is recommended to provide an adequate supply of water on demand. A booster pump from this tank may be required to provide sufficient pressure and flow. The property has a set daily water allocation of **1.5m³** per day supplied at a steady rate of **1.04** litres per minute through a flow restrictor fitted to the connection. On-site water storage of a minimum 12 hours supply is required. Altering, bypassing or removing a flow restriction device is a serious offence under current Bylaws.

Please note Council does not currently restrict residential properties connected to this Supply – but reserves the right to do so should usage be considered excessive.

Are there any requisitions known to Council regarding these services?	No
Are there any Capital Contributions outstanding to this Water Supply?	No
Are there any Back flow prevention device requirements?	Yes

Extra-ordinary water connections may require the installation of an approved backflow prevention device or the upgrade of the existing backflow device on the water connection to protect the public water supply from risk of contamination. The backflow prevention device at the boundary must be tested annually by a registered Independently Qualified Person (IQP). The testing and maintenance of the boundary device are the responsibility of Rotorua Lakes Council.

Altering or removing this Backflow Device is a serious offence under current Bylaws.

An extra-ordinary water connection is defined as one that serves any of the following:

- A commercial or industrial property.
- More than two residential dwellings.
- A rural or residential property in excess of 2000 square meters in size.
- Any property outside of the designated water supply area.
- A usage that falls outside the definition of ordinary use, e.g. Geothermal water heat exchanging or hot pool cooling.

Reticulated Public Sewer

Is the property served by a Rotorua Lakes Council sewer? No

Is the property connected to the Rotorua Lakes Council sewer? No

Reticulated Stormwater Drainage

Is the property served by Rotorua Lakes Council reticulated stormwater drainage? No

Is there any information about reticulated stormwater drainage issues in relation to this property? No

Vehicle Crossing

There is a requirement under the District Plan and local bylaws for every property to have a properly formed and sealed vehicle crossing in accordance with the Regional Industry Technical Specification (RITS). Please be aware that if this property has an unsealed vehicle crossing, Council may request that this be brought up to standard at any time at the owners' expense.

Other Comments

Is there any other information Rotorua Lakes Council has for subject property in relation to Land Development? No

TRADE WASTE SERVICES



Does this property require a Tradewaste Consent and does Council hold any information related to a Tradewaste Consent? No

Does the property require a Stormwater Licence and does Council hold any information related to a Stormwater Licence? No

This property does not currently hold a stormwater licence. A stormwater licence is not required for properties outside of the Rotorua urban area.

Are there any Water Services and Trade Waste Bylaw issues / requisitions known to Council in relation to this property? No